

Bid Corrigendum

GEM/2025/B/6784608-C3

Following terms and conditions supersede all existing “Buyer added Bid Specific Terms and conditions” given in the bid document or any previous corrigendum. Prospective bidders are advised to bid as per following Terms and Conditions:

Buyer Added Bid Specific Additional Terms and Conditions

1. **OPTION CLAUSE:** The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.
2. Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the market and has at least 3 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.
3. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
4. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 20% of total value.

5. Purchase Preference linked with Local Content (PP-LC) Policy:

The bid clause regarding “Preference to Make In India products” stands modified in this bid and shall be governed by the PPLC Policy No. FP-20013/2/2017-FP-PNG dated 17.11.2020 issued by MoP&NG as amended up to date. Accordingly, bidders with Local Content less than or equal to 20% will be treated as “Non Local Supplier”. The prescribed LC shall be applicable on the date of Bid opening. Sanctions on the bidders for false / wrong declaration or not fulfilling the Local Content requirement shall be as per the PPLC policy. Further following additional provisions are added in the certification and verification of local content provision of the Preference to Make in India clause:

- i. In case of foreign bidder, certificate from the statutory auditor or cost auditor of their own office or subsidiary in India giving the percentage of local content is also acceptable. In case office or subsidiary in India does not exist or Indian office/subsidiary is not required to appoint statutory auditor or cost auditor, certificate from practicing cost accountant or practicing chartered accountant giving the percentage of local content is also acceptable.
- ii. Along with Each Invoice: The local content certificate (issued by statutory auditor on behalf of procuring company) shall be submitted along with each invoice raised. However, the % of local

iii. The bidder shall submit an undertaking from the authorized signatory of bidder having the Power of Attorney along with the bid stating the bidder meets the mandatory minimum LC requirement and such undertaking shall become a part of the contract.

6. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
7. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.
8. Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.
9. Buyer uploaded ATC document [Click here to view the file.](#)
10. Buyer Added text based ATC clauses



Date: 07.11.2025

Corrigendum I

1

Sl. No.	Specifications	Amended for	Read as / Newly added
1.	Specification No. 1.a. of Steel Cabinet of Type 1, Type 2 and Type 3	Total height: 10 feet 4 inch.	Total height: 10 feet 4 inch. Each a Imirah can be either in one single piece of 10 feet 4 inch, OR in two pieces (7 feet 4 inch bottom part and 3 feet top part) joined firmly with fasteners.
2.	Newly added specifications.	Nil	a. Specification No. 1.g.(Door specification: as given in the drawing of Steel Cabinet of Type 1, 2 & 3) is added in the revised “Technical specification” for Steel Cabinet of Type 1, Type 2 and Type 3.

3.	The design changes, corresponding to Sl. No. 2 of this corrigendum, are updated in the "Drawing" of the Steel Cabinets of Type 1, Type 2 and Type 3. (Modified "Drawings of the Steel Cabinet" attached.)
All other Terms & Conditions of the Tender document shall remain unaltered.	

Sd/-

Assistant Registrar (SA & HM)

Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or

bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

*This document shall overwrite all previous versions of Bid Specific Additional Terms and Conditions.

[This Bid is also governed by the General Terms and Conditions](#)

भारतीय प्रौद्योगिकी संस्थान भुवनेश्वर
Indian Institute of Technology Bhubaneswar

Date: 07.11.2025

Corrigendum I

The following amendment is incorporated in the GeM BID No: -
GEM/2025/B/6784608, Dated 21.10.2025 for the Procurement of **Steel Cabinet**.

Sl. No.	Specifications	Amended for	Read as / Newly added
1.	Specification No. 1.a. of Steel Cabinet of Type 1, Type 2 and Type 3	Total height: 10 feet 4 inch.	Total height: 10 feet 4 inch. Each almirah can be either in one single piece of 10 feet 4 inch, OR in two pieces (7 feet 4 inch bottom part and 3 feet top part) joined firmly with fasteners.
2.	Newly added specifications.	Nil	a. Specification No. 1.g.(Door specification: as given in the drawing of Steel Cabinet of Type 1, 2 & 3) is added in the revised “Technical specification” for Steel Cabinet of Type 1, Type 2 and Type 3.
3.	The design changes, corresponding to Sl. No. 2 of this corrigendum, are updated in the “Drawing” of the Steel Cabinets of Type 1, Type 2 and Type 3. (Modified “Drawings of the Steel Cabinet” attached.)		
All other Terms & Conditions of the Tender document shall remain unaltered.			

Sd/-
Assistant Registrar (SA & HM)

Technical Specifications: Steel Cabinets (Type 1)


1. Design & dimensions: as given in the drawing (tolerance ± 0.5 inch) of Steel Cabinet of Type 1 (design and dimensions are presented in the drawing sheet)
 - a. Total height: 10 feet 4 inch. Each almirah can be either in one single piece of 10 feet 4 inch, OR in two pieces (7 feet 4 inch bottom part and 3 feet top part) joined firmly with fasteners.
 - b. Legs & Ground clearance: as per the drawing of Steel Cabinet of Type 1
 - c. Load capacity: each horizontal rack should take max 50 kg
 - d. Stiffeners: each horizontal rack of the cabinets & door need sufficient stiffeners (min. width 80 mm)
 - e. Inner door locking system (slide bolt/ tower bolt) - (typical picture attached below)
 - f. Partitions: All partitions are fixed in Type 1 cabinet.
 - g. Door specification: as given in the drawing of Steel Cabinet of Type 1



2. Material: Powder coated CRCA sheet
 - a. Front Door: 20 gauge (0.92 mm thick)
 - b. Other side plates: 22 gauge (0.76-0.8 mm thick)
 - c. Shelves: 22 gauge (0.76-0.8 mm thick)
3. Lock type: Latch (typical picture attached below) with heavy duty Padlocks (4-6 Levers lock with 50-60 mm width, of Godrej/ Link/ Yale/ Sterling)



4. Colour: Royal Ivory/ Grey
5. Painting type: 9-tank powder coating
6. Numbers of Cabinets: 02 numbers of Type 1
7. Warranty: 1 year from the date of delivery of the items & user acceptance



Technical Specifications: Steel Cabinets (Type 2)


1. Design & dimensions: as given in the drawing (tolerance ± 0.5 inch) of Steel Cabinet of Type 2 (design and dimensions are presented in the drawing sheet)
 - a. Total height: 10 feet 4 inch. Each almirah can be either in one single piece of 10 feet 4 inch, OR in two pieces (7 feet 4 inch bottom part and 3 feet top part) joined firmly with fasteners.
 - b. Legs & Ground clearance: as per the drawing of Steel Cabinet of Type 2
 - c. Load capacity: each horizontal rack should take max 50 kg
 - d. Stiffeners: each horizontal rack of the cabinets & door need sufficient stiffeners (min. width 80 mm)
 - e. Inner door locking system (slide bolt/ tower bolt) - (typical picture attached below)
 - f. Partitions: Fixed and adjustable partitions in Type 2 (the adjustable horizontal partitions are indicated in the drawing, other partitions are fixed)
 - g. Door specification: as given in the drawing of Steel Cabinet of Type 2



2. Material: Powder coated CRCA sheet
 - a. Front Door: 20 gauge (0.92 mm thick)
 - b. Other side plates: 22 gauge (0.76-0.8 mm thick)
 - c. Shelves: 22 gauge (0.76-0.8 mm thick)
3. Lock type: Latch (typical picture attached below) with heavy duty Padlocks (4-6 Levers lock with 50-60 mm width, of Godrej/ Link/ Yale/ Sterling)



4. Colour: Royal Ivory/ Grey
5. Painting type: 9-tank powder coating
6. Numbers of Cabinets: 12 numbers of Steel Cabinets of Type 2
7. Warranty: 1 year from the date of delivery of the items & user acceptance



Technical Specifications: Steel Cabinets (Type 3)




1. Design & dimensions: as given in the drawing (tolerance ± 0.5 inch) of Steel Cabinet of Type 3 (design and dimensions are presented in the drawing sheet)
 - a. Total height: 10 feet 4 inch. Each almirah can be either in one single piece of 10 feet 4 inch, OR in two pieces (7 feet 4 inch bottom part and 3 feet top part) joined firmly with fasteners.
 - b. Legs & Ground clearance: as per the drawing of Steel Cabinet of Type 3
 - c. Load capacity: each horizontal rack should take max 50 kg
 - d. Stiffeners: each horizontal rack of the cabinets & door need sufficient stiffeners (min. width 80 mm)
 - e. Inner door locking system (slide bolt/ tower bolt) - (typical picture attached below)
 - f. Partitions: Fixed and adjustable partitions in Type 2 (the adjustable horizontal partitions are indicated in the drawing, other partitions are fixed)
 - g. Door specification: as given in the drawing of Steel Cabinet of Type 3




2. Material: Powder coated CRCA sheet
 - a. Front Door: 20 gauge (0.92 mm thick)
 - b. Other side plates: 22 gauge (0.76-0.8 mm thick)
 - c. Shelves: 22 gauge (0.76-0.8 mm thick)
3. Lock type: Latch (typical picture attached below) with heavy duty Padlocks (4-6 Levers lock with 50-60 mm width, of Godrej/ Link/ Yale/ Sterling)



4. Colour: Royal Ivory/ Grey
5. Painting type: 9-tank powder coating
6. Numbers of Cabinets: 01 number of Steel Cabinets of Type 3
7. Warranty: 1 year from the date of delivery of the items & user acceptance



Representational view
for Understanding



Steel Cabinet: Type 3
All Dimensions are in inches

Tolerance- ± 0.5 inches

